	, /	Nece	iving Kel	ort		
	upplier: 12/12/1	Z Chuha		ch No: M )	4029	,
Packing Slip: Invoice: Receipt:	Yes No Cash Cr	R V S	Release Note Vaybill Attach hipment Com C6 Inspection	Attached: Yed: Y	es No	
Discrepancies	_	M	Vork Order		2/12/14	N/A N/A
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
90	En 130					
1		111				
	1	Initials	of receiver (	f shipment C	OK) Lovel 46	
Production/Adm Date Received/Costir Initial	12/15			. Supriorie	Location	
						4
l:\FORMS\Purchasi	ng\approved purch\RECRI	EPORT Rev D				
1 - 1						

of
_
g
Pa

## Purchase Order Receipt Listing

Tuesday, December 18, 2012 3:08:14 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO18619 Receipt Dates from 12/18/2012 to 12/18/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt		\$1.056.72	¥1.000		\$800.00	60000		\$60.38	) )			\$57.97		4102 17	71.00.10		\$49.72		., 0, 0, 0	10.607¢	\$30.19	
MRB Qty/ MRB Reject Qty		O	0		Û			0		0		0 0		c	<b>.</b>		0 0	Þ	¢	0	0	0
Inspected Qty/ Rejected Qty (PO U/M)		0.0000	00000		00000	00000		0.0000		0.0000		0.0000		0000	0.0000		0.0000		0000	0.0000	0.0000	0.0000
Cost Per Unit/ Recv Value	S. School of Control o	\$3.30	\$1.056.72		\$2.50	60 008\$		\$2.52		\$60.38		\$1.21 \$57.97		\$0.61	\$183.17		\$1.04	1	\$22 47	\$269.61	\$1.44	\$30.19
Recv Qty (PO U/M)		320.0000			320.0000			24.0000			0000	48.0000		300.0000		:	48.0000		12,0000		21.0000	
Recv Date/ Recv Emp		12/19/2012 12/18/2012	DESJ02		12/19/2012 12/18/2012	DESJ02		12/19/2012 12/18/2012		DESJ02	17/10//01/2	12/18/2012 DESJ02		12/19/2012 12/18/2012	DESJ02		12/18/2012 DESJ02		12/18/2012	DESJ02	12/18/2012	DESJ02
Required Date Required Qty	CA Ltd	12/19/2012	320.0000		12/19/2012	320.000		12/19/2012		24.0000	5100/81/61 5100/01/61	48.0000		12/19/2012	300.0000	0.0000	12/19/2012 12/18/2012 48.0000 DESJ02		12/19/2012 12/18/2012	12.0000	12/19/2012 12/18/2012	21.0000
PO U/M / Stock U/M	Thyssenkrupp Materials CA	sf	Js.		sf	sf		0. f		<b>4</b> 4	<b>4</b>	· Į		f	÷.	¢.	Į.		f	<b>4</b>	<b>.</b>	<b>6</b> —1
Reference/ Description/ Cert Std	VC-COP001 Thysse	M304S18GA	304/316 .050 Sheet	124029	M304S20GA	304/316.040 Sheet	124029	M6061T6B0.375X00. f	06/	6061T6 BAR .375 x .750 124029	M6061T6R0.500	6061-T6 Round Bar .500"	124029	M6061T6R0.563	6061-T6 ROUND BAR .563 124029	M606176R0 750	6061-T6 Round Bar	.750" 124029	M6061T6R3.500	6061 RD bar 3.50 124029	M6063T5A0.750W.0 f 63	Angle6063T5 .750 X.750 X.063w 124029
Project ID				1											a <sup>25</sup> 2							,,, –
Line Nbr/ Insp Req	dor Nam	_	No No		7	No No		7		o Z	∞	No 0		6	No	9	2 %		11	No O	12	8
Purchase Order ID/ Curr Type	VendorID\Vendor Name	PO18619	CAD				- W - W - W - W - W - W - W - W - W - W															

C	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt	
	Total	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:	uantity: ) U/M): nantity: Value:	1,093.0000 0.0000 0.0000 \$2,507.86 0.0000	000000000000000000000000000000000000000
			T.		1 2 2
				Ŧ	e.

Recv Qty (PO U/M)

Recv Date/ Recv Emp

Required Date Required Qty

PO U/M / Stock U/M

Project ID Reference/ Description/ Cert Std

Line Nbr/ Insp Req

Purchase Order ID/ Curr Type Page 2 of 2

BILL OF LADING Ship From: No: PEC 799828 Ship Date 14Dec12 at 13:51 From PFW THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD Probill CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033 Via VIM TRANSFER FOB CONCORD Frt PREPAID Route 0- 0 Manifest Vhcle Trailer Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE Ship To: ( 1) DART AEROSPACE 1270 ABERDEEN ST 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7 Tel: 613-632-9577 Fax: 613-632-1053 HAWKESBURY, ON K6A 1K7

B I L L O F L A D I N G
ALUMINUM FLAT BAR 6061-T6511
.375" X .750" X 144.0000"
Heat Number Tag No 201213316

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON

20 Our Order PEC-518912- 2 Your PO # 18619 AD ON 2) Our Order PEC-518912- 2 Your PO # 18619 AD ON ALUMINUM ROUND BAR 6061-T6511 .50" DIA X 144.0000" Heat Number Tag No Quantity PCS 2BS755 133868 48 FT 4 Wt LBS 11 3) Our Order PEC-518912- 3 Your PO # 18619 AD ON ALUMINUM ROUND BAR 6061-T6511 .562" DIA X 144.0000" Heat Number Tag No Quantity PCS 201207091 133982 300 FT 25 4) Our Order PEC-518912- 4 Your PO # 18619 AD ON ALUMINUM ROUND BAR 6061-T6511 ALUMINUM ROUND BAR 6061-10311
.750" DIA X 144.0000"
Heat Number Tag No Quantity PCS Wt LBS
40959-112 133885 48 FT / 4 25 5) Our Order PEC-518912- 5 Your PO # 18619 AD ON ALUMINUM ROUND BAR 6061-T6511 3.50" DIA X 144.0000" Heat Number Tag No Quantity entity PCS 12 FT 1 17548 Wt LBS 133886 137 Page: 1 ....Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

1-804

LADING No: PEC 799828 Ship From: Ship Date 14Dec12 at 13:51 From PFW THYSSENKRUPP MATERIALS NA Probill 2821 LANGSTAFF ROAD Via VIM TRANSFER CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 905-738-9033 CONCORD FOB Frt. PREPAID Route 0- 0 Manifest Vhcle Trailer Slp STAN IVERS (905-532-1350) Ship To: Sold To: (20115) DART AEROSPACE DART AEROSPACE BILL O F LADING 6) Our Order PEC-518912- 6 Your PO # 18619 AD ON ALUMINUM ANGLE 6063-T5 .750" x .750" x .062" X 252.0000" Heat Number Taq No Quantity Wt LBS 2BS240 133887 —21 FT / PCS Taqs LBS TOTAL: 37 271 Heat Number \*\*\* Chemical Analysis \*\*\* 17548 201207091

ADD ON TO 518871 SUR-CHARGE PAID SHIP TOGETHER

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.

ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*

\*\* REFERENCED ON IT \*\*

TOTAL 2 BDLS 1 BOX G.W. 425 LBS

ITEMS (1,2,4,5) BDL ITEM (6( BDL

ITEM (6 BDL BOX

2BS240 2BS755 40959-112

Page: 2 ....Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÈTRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY!
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

DATE

В ILL OF LADING THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 14Dec12 at 13:51 From PFW Probill Via VIM TRANSFER FOB CONCORD Frt PREPAID Route 0 -0 Manifest Vhcle Trailer Slp STAN IVERS (905-532-1350) Sold To: (20115)

DART AEROSPACE

No:

PEC 799828

Ship To: DART AEROSPACE 1)

ADDED TO EVERY ORDER. \*\*\*

Ship From:

BILLL OF LADING \*\*\*\*\*\* CLOSED FOR THE HOLIDAYS \*\*\*\*\*\*\* ON DEC. 25TH & 26TH, 31ST & JAN. 1ST. WE ARE OPENED FOR BUSINESS ON DEC. 24, 27 & 28. HAVE A HAPPY HOLIDAY SEASON! \*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA CONCORD, ONT.\* \* \* \* 9:00 AM TO 4:00 PM \*\*\*\* TEL. 800-926-2600 \*\*\*\* \*\*\*\*\*\*\*\*\*\*\*\*\*\* WE STOCK STAINLESS STEEL PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*\*\*\*\*\*\*\*\*\*\*\*\* \*\*\*PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE

Page: Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÉTRE RAPPORTÉES IMMÉDIATEMENT ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION VQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

DATE

O F LADING Ship From: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 905-738-9033

Probill Via VIM TRANSFER FOB CONCORD Frt PREPAID 0- 0 Manifest Route

Ship To: (
DART AEROSPACE

Vhcle Trailer Slp STAN IVERS (905-532-1350) Sold To: (20115)

No:

Ship Date 14Dec12 at 14:10 From PFW

DART AEROSPACE 1270 ABERDEEN ST

HAWKESBURY, ON K6A 1K7

1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7 Tel: 613-632-9577 Fax: 613-632-1053

BILL OF LADING 1) Our Order PEC-518871- 1 Your PO # 18619

STAINLESS STEEL SHEET 304-2B

.0480 Nom X 48.0000" X 96.0000"

Heat Number Tag No 300725 133945 Quantity **PCS** 320.00 SFT

Wt LBS

PEC 799833

2) Our Order PEC-518871- 2 Your PO # 18619 STAINLESS STEEL SHEET 304-2B .0360 Nom X 48.0000" X 96.0000"

Tag No 133946 Heat Number A1200877

Ouantity PCS 320.00 SFT

Wt LBS

Tags PCS TOTAL: 20 LBS

Heat Number 300725 A1200877

\*\*\* Chemical Analysis \*\*\*

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.

ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*

\*\* REFERENCED ON IT \*\*

TOTAL ITEMS (1&2) 1 SKID G.W. 1118 LBS

Page: 1 ....Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER:

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

1066

10

Wiff M12 4029

BILLL OF THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ONTARIO L4K 5C6 Tel: 905 669 9444 Fax: 905-738-9033

LADING No: PEC 799833 Ship Date 14Dec12 at 14:10 From PFW Probill Via VIM TRANSFER

FOB CONCORD Frt PREPAID

Route 0- 0 Manifest Vhcle Trailer

Slp STAN IVERS (905-532-1350) Sold To: (20115)

DART AEROSPACE

Ship To: DART AEROSPACE 1)

Ship From:

BILL OFLADING \*\*\*\*\*\* CLOSED FOR THE HOLIDAYS \*\*\*\*\*\*\* ON DEC. 25TH & 26TH, 31ST & JAN. 1ST. WE ARE OPENED FOR BUSINESS ON DEC. 24, 27 & 28. HAVE A HAPPY HOLIDAY SEASON! \*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA CONCORD, ONT.\* \* \* \* 9:00 AM TO 4:00 PM \*\*\*\* TEL. 800-926-2600 \*\*\*\* \*\*\*\*\*\*\*\*\*\*\*\*\*\* WE STOCK STAINLESS STEEL PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*\*\*\*\*\*\*\*\*\*\*\* \*\*\*PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE

ADDED TO EVERY ORDER. \*\*\*

Page: Last

TOUTES ERREURS ET/OU MARCHANDISE\$ MANQUANTES DOIVENT ÉTRE RAPPORTÉES IMMÉDIATEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE ALUMINUM FLAT BAR 6061-T6511 375" X 750" X 144.0000"

PO/Rel 18619 AD ON

We certify that this is a frue copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

Signed by:

BL PEC-799828-001

Pg 1/1 14Dec12



### SERVICE CENTER METALS

Prince George, VA 23875 5850 Quality Way

### CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

We hereby certify that the material cove revision, and has been found to meet the	ThyssenKrupp Materials NA PEC Quantity Certified 614 lbs	ThyssenKrupp Materials NA	84,4,70
red by this report has been inspected i	CUSTOMER PO PEC-241037 155pcs CUSTOMER PART HUMBER RB0080	MANIFEST NUMBER 166872	
We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification	ALLOY/TEMPER SALESPERSON 6061-T6511 David Schroeder DESCRIPTION SCRB .375x.750	DATE OF S	* 13**
from a produced and an difference of the	ASTM-B221-12 No Stencil SPECIFICATION AMIS-QQA-200/8-07	CERTIFICATION	156054
2007 10	ncil		лем 2

description, and that samples representative of the material met the composition limits and had the mechanical properties shown. SCM extrusions are manufactured in the USA.

also meet the requirements of 6061-T6 ems produced and certified as 6061-T6511

		ω N	_	Tests
		201213316 201213316	201213316	Tests Lot No.
	- 3.		;	lies
				3.
419		08/04/12 08/04/12 08/04/12	0000440	lest Date
	i.	47.3 47.6 47.9	· •	Ultimate Tensile Strength (KSI)
		44.5 45.0 45.2	•	Yield Streng
		12.0 14.0 14.0		th Percent

Chemical Composition for Aluminum Alloy 6061

0AS 14 28

2BR813	Cast Number	
6061	Alloy	
0.62	<u>                                      </u>	
0.62 0.18	(G)	
0.19	6	
0.03	S	
0.85	Mo	
0.06	Įς	
0.01	<u>Zn</u>	
0.01 0.02	Ħ	
98.04	₽	
0.05	Ot <u>Each</u>	
0.15	Others Total	
	Melt Source:	

Doc No. 140884 Indexed 17Aug12 by jessy

Director of Quality & Technical Services

Print Date: 8/15/2012

### DART AEROSPACE THYSSENKRUPP MATERIALS NA

ALUMINUM ROUND BAR 6061-T6511 .50" DIA X 144.0000"

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs. PO/Rel 18619 AD ON

Signed by:

Certificate of Mill Test Results

BL PEC-799828-002

14Dec12

Pg 1/1



III A \_UMI\UM

411 CHRISLEA ROAD, WOODBRIDGE, ONTARIO, CANADA L4L 8N4 TEL: (416)745-4444 FAX:(416)745-0925 1-800-668-7210

CUSTOMER PART NUMBER CUSTOMER PO PEC-242923 0.67 ALLOY DIE NUMBER 6061 S TEMPER 2162 T6511 DATE OF SHIPMENT

4-500

PART DESCRIPTION

11/1/2012

FORBES DODWELL

151418

EXTRUDEX ORDER NO. MANIFEST NO.

http://www.extrudex.com

MADE IN CANADA

277362

CERTIFICATION

MILL TEST ASTM B221-12

**Chemical Composition** 

A.11

6061

Oct/29/12

46.2

41.0

16,00

90.2.90.0.90.5

Test Date

Ultimate Tensile

Yield Strength

(KS)

Elongation Percent

Hardness

Conductivity

Strength (KSI)

Mechanical Properties

Į,

Alloy

SO DESCRIPTION .500" DIA

BILL TO

THYSSENKRUPP MATERIALS, NA

THYSSENKRUPP MATERIALS,NA

Cort Code:

A. 11

Cast Number 2BS755 6061

> 0.60100

0.16 0.21 -0

0.04 S

0.88 Ma

0.07 Ω

ĮΖ,

2

Ga

l00

Ψ.

B

0.00 0.01 0.01

0.00

0.00 0.00 1<

0.00 Ŋ

0.00

0.00

0.00 R

0.00 Įά

ြင

≥

0.00Remainder 0.02

5

David Natale

Quality Control Manager

0/5 14 289

Doc No. 145844

Indexed 2Nov12 by slssup1

### DART AEROSPACE THYSSENKRUPP MATERIALS NA

ALUMINUM ROUND BAR 6061-T6511 .562" DIA X 144.0000"

PO/Rel 18619 AD ON

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test Results

BL PEC-799828-003

Pg 1/1 14Dec12



BILL TO

### SERVICE CENTER METALS

Prince George, VA 23875 5850 Quality Way

### CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

OUR ORDER NUMBER

ПЕМ

W

149203

ThyssenKrupp Materials NA PEC ThyssenKrupp Materials NA Quantity Certified 1,332 lbs 380pcs CUSTOMER PART NUMBER CUSTOMER PO MANIFEST NUMBER PEC-23859 RD0370 158335 Lightning Rod Tite 0.562 +.004/-.003 DESCRIPTION ALLOY / TEMPER 6061-T6511 RD0370 SALESPERSON DATE OF SHIPMENT David Schroeder 5/2/2012 ASTM-B221-12 No Stencil CERTIFICATION

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification terms produced and certified as 60 revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the meet the requirements of 6061-T6 SCM extrusions are manufactured in the USA from ingot melted and cast in the United States or Canada. description, and that samples representative of the material met the composition limits and had the mechanical properties shown.

SPECIFICATION
AMIS-QQA-200/8 Items produced and certified as 6061-T6511 also

	2 201207091	Tests Lot No.
12/12/19	04/24/12 04/24/12	lest Date
1/2/19	50.6 50.7	Ultimate Tensile Strength (KSI)
	48.9 48.7	Yield Strength (KSI)
	14.9 13.6	Percent Elongation

1	_
ı	
	2.0
	3
ı	O
ı	ä
ı	₹.
ı	-
ı	ດ
ı	Ca
ı	_
ı	$\sim$
ı	· 🛂
ı	0
ı	Ė
ı	3
ı	god
ı	×
i	ñ
ı	S
ı	=
ľ	Ξ,
ŀ	Ô
i	=
ĺ	_
ĺ	sition for A
ŀ	O.
ı	¥
ı	. '
ı	ъ
ł	
i	
ı	=
ľ	⇉
	Ξ.
	ır Aluminu
	=
	-₹
	_
	7
	_
	_
	0
	<
	-
	6
	Ö
	ā
	~'
	_

745 14 2-89

	041425 041523	Cast Number
	6061 6061	Alloy
	0.76 0.77	<u> δ</u>
	0.35 0.39	Fe
	0.34 0.32	15
	0.09 0.09	<u>M</u> n
	0.87 0.86	Mg
	0.10 0 <sub>-</sub> 10	lδ
$\overline{c}$	0.06 0.06	Zn
	0.02 0.02	ı
	0.05 0.05	Others <u>Each</u> ]
	0.15 0.15	ers <u>Total</u>
Print Date: 5/2/2012	United States of America	Melt Source:

Doc No. 133986

Indexed 7May12 by slssup1

Calvin J. Wiggins,

Director of Quality & Technical Services

Rev. 9/23/1: - UMS

### YSSENKRUPP MATERIALS NA

ALUMINUM ROUND BAR 6061-T6511 .750" DIA X 144.0000" PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

**Certificate of Mill Test Results** 

BL PEC-799828-004

14Dec12 Pg 1/2

KAISER	į
ALUMINUM	
FARRICATED DOODLIATO	

### **CERTIFIED TEST REPORT**

Signed by:\_

http://Online.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 5205 KAISER DRIVE KALAMAZOO, MI 49048

CUSTOMER PO NUMBER: CU		ISTOMER PART NUMBER:	PRODUCT DESCRIPTION:				
PEC-243120-1		15238-9	KAISERSELECT I	PRECISION B	OD 750 // 004		
CAISER ORDER NUMBE	R: LINE ITEM:	SHIP DATE: 10/26/2012	KAISER LOT NUMBER: 40959-112	ALLOY: 6061	TEMPER:		
меіднт sніpped: 1551.000 LB	QUANTITY: 249.000 PC:	B/L NUMBER:	DIAM/DAF/THKNS:	WIDTH:	T6511B LENGTH:		
SHIP TO:		004754	SOLD TO:		12.000 FT		
THYSSENKRUPP 2821 LANGSTAFF CONCORD, ON L	ROAD		THYSSENKRUPP 2821 LANGSTAFF CONCORD, ON LA	ROAD			

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	IIMO (ICOT)					
10959-112		UPATE CIE.	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
40959-1.2 40959-1.2 40959-1.2 40959-1.2 40959-1.2 40959-1.2 40959-1.2 40959-1.2	0001 0001 0001 0001 0001 0001 0001	2 3 4 5 6 7 8	53.4 51.7 49.9 49.3 50.4 51.7 50.5 51.1	49.4 47.5 44.8 44.1 46.8 48.4 47.0	16.1 16.1 17.3 14.8 15.1 15.9 15.4	RE 94 RE 94 RE 94 RE 94 RE 94 RE 94 RE 93 RE 95	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A

### Chemical Composition (wt%), Aluminum Remainder

					-	,	,,			SI LICATI I	u C I			
LIMITS	Si	Fe	Cu	Mra	Mg	Cr	Zn	Ti	Pb	- n-				
Maximum Minimum	0.80	0.70	0.40	0.15	1.20	0.35	2.05			Bi	Zr	Ea	Tot	
Minimum H42876	0.40	0.00	U- 15	0.00	0.80	0.04	0.20	0.00	na na	NA NA			0.15	
010240	.76	.39	.33	.09			.09		.01	.01	.00	.01	0.00	

### Applicable Requirements:

PER ASTM-B221-12, STENCILED ASME-SB221 1998 SECT II PER AMS-QQ-A-200/8 (2007) UNS# A96061 MEETS ALL SPECIFICATION REQUIREMENTS FOR 6061-T6511/T6 ELEVATED MINIMUM MECHANICAL PROPERTIES AS FOLLOWS: UTS = 42.C KSI MIN YIELD = 38.0 KSI MIN ELONGATION

Miscellaneous Notes

MANUFACTURED IN USA (SHERMAN, TX)

MELTED IN USA

PAS 12/12/19

Plant Serial: 00064937 Kaiser Order Number: 630747

Line Item: 001

Page 1 of 2

### THYSSENKRUPP MATERIALS NA

ALUMINUM ROUND BAR 6061-T6511 750" DIA X 144.0000" PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

**Certificate of Mill Test Results** 

o:	DL FEC-799828-004	14Dec12
Signed by:		Pg 2/2



**CERTIFIED TEST REPORT** 

http://Online.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 5205 KAISER DRIVE KALAMAZOO, MI 49048

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Calvin Latting, Quality & Technology Manager

Plant Serial: 00064937 Kaiser Order Number: 630747

Line Item: 001

Page 2 of 2

### DART AEROSPACE THYSSENKRUPP MATERIALS NA

ALUMINUM ROUND BAR 6061-T6511 3.50" DIA X 144.0000"

PO/Rel 18619 AD ON

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test R

BL PEC-799828-005

411 CHRISLEA ROAD, WOODBRIDGE, ONTARIO, CANADA L4L 8N4

http://www.extrudex.com

MANIFEST NO.

275826

TEL: (416)745-4444 FAX:(416)745-0925 1-800-668-7210



### EXTRUDEX

MILL TEST REPORT

BILL TO THYSSENKRUPP MATERIALS, NA

3.5" RD THYSSENKRUPP MATERIALS, NA

Mechanical Properties

O

Alloy

Cert Code

CUSTOMER PO

PEC-242176

CUSTOMER PART NUMBER

4-3500

0.72 DIE NUMBER S

ALLOY PART DESCRIPTION 6061

6874

TEMPER T6511

DATE OF SHIPMENT

FORBES DODWELL

10/11/2012

150508 — EXTRUDEX ORDER NO.

MADE IN CANADA

CERTIFICATION

MILL TEST ASTM B221-12

Percent Elongation Hardness

Conductivity

13.10 92.8, 93.7, 93.4

0.00 Ga 0.00 |< 0.00 lw 0.00 Ŋ 0.00 0.00 B B

Sh

0.00 0.00 Ş 0.00Remainder 0.07 δ <u>></u> Other

Chemical Composition

A.11

6061

Oct/04/12

58.2

Test Date

Ultimate Tensile Strength (KSI)

Yield Strength

54.6

A. 11

Cast Number

17548 6061

0.73 <u>|S</u>

0.30 e

0.32 C

3

Mg

Q

Z

0.10 1.02 0.09

0.00 Z

0.02 0.02

David Natale

Quality Control Manager

1 - CUSTOMER COPY

Doc No. 144456

Indexed 16Oct12 by sissup1

MILL TEST REPORT

AS 12/12/19

### DART AEROSPACE THYSSENKRUPP MATERIALS NA

ALUMINUM ANGLE 6063-T5 .750" x .750" x .062" X 252.0000" PART NO.

PO/Rel 18619 AD ON

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test Results

14Dec12

Pg 1/1

BL PEC-799828-006



### MILL TEST REPORT

TEL: (416)745-4444 FAX:(416)745-0925 1-800-668-7210 411 CHRISLEA ROAD, WOODBRIDGE, ONTARIO, CANADA L4L 8N4

http://www.extrudex.com

8/LL 7/0
THYSSENKRUPP MATERIALS, NA
THYSSENKRUPP MATERIALS,NA
.750"x.062" SF AN

COSTOMER PART NUMBER	FEC-241288	DEC SAASS	CUSTOMER PO	0	Cert Code:
PART DESCRIPTION	6063	ACCOL		0.20 S	DIE NUMBER
	T52 FORBES DODW	TEMPER SALESMAN		3488	DATE OF SHIPMENT
	ŏ Ş		710		•

8-062-750

ART DESCRIPTION	6063	TLOY	Ø	XE NUMBER
NOTTON	T52	TEMPER	3488	
	FORBES DODWELL	SALESMAN	9/6/2012	DATE OF SHIPMENT
9				ш

PATE OF SHIPMENT 9/6/2012 R SALÉSIÄAN 2 FORBES DODWELL	DESCRIPTION	063 T52	OY TEMPER	s 3488	VOMBER
			SALESMAN	9/6/2012	DATE OF SHIPMENT

3488		
9/6/2012	DATE OF SHIPMENT	
	ш	

9/6/2012 SALESHAN	DATE OF SHIPMENT
149296	EXTRUDE

MANIFEST NO.

273556

$\geq$	
Ž	
5	
Щ	
=	
~	
$\delta$	
7	
2	
2	
S	

ERTIFICATIO	
*	74-141
	ì
	4

	MIL	
:	TEST	
	ASTM E	
	1 B221-12	
	$\vec{c}$	

Chemical Composition		A 11	Lot	Mechanical Properties
	0003		Alloy	8
	Aug/29/12	100	Test Date	
	24.9	Strength (KSI)	Illimoto Topois	
	19.6	(KSI)	<u>:</u> }	
	12.70	h <u>Percent</u> Elongation		
	47.9, 46.8, 47.3	<u>Hardness</u>		MILL TEST ASTM B221-12
		Conductivity		M B221-12

	l	<u> </u>	2
	l	ã	,
ĺ			
	3	8	,
	1	_	
-	1	ċ	•
-	:	3	
	7	3	
	į	0	
	S	;	•
	:	Ś	ı
1			ı

2BS240	South Tens
ō	157
8	

ĪS

0.18 e

0.01 5

0.04 S

0.51 Ma

0.01 乜

0.00 <u>|₹</u>

0.01 13

0.01 Н

0.00 Ga

0.00 **K** 

0.00

0.00 17

0.00 <u>B</u>

0.00 Pb

0.00 Sn

0.00 ΙŞ

ပြင

2

Other

0.00Remainder 0.02

œ

A.11

8 0.42

Quality Control Manager David Natale

1 - CUSTOMER COPY

Doc No. 142118 Indexed 10Sep12 by slssup1

MILL TEST REPORT

12/12/19

### THYSSENKRUPP MATERIALS NA

STAINLESS STEEL SHEET 304-2B .0480 Nom X 48.0000" X 96.0000" PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

**Certificate of Mill Test Results** 

Signed by:

BL PEC-799833-001

Pg 1/1

Thy	•	<u> </u>			- 1		.,,,,,,	-,,-	-44 : DE1 2   MG	escrewigung			I	NOCTION OF	में क्षेत्रकर इ.कि.च्या	hg/ 19/03/2013				
Thy		, , , , , ,		ThyssenKrupp							Type of decument 1 lips to document of Art der Problescherugung  INSPECTION CERTIFICATE									
Thy	ssenl		7.			CERTIFICADO DE INSPECCION									,,,,	25813				
Thy	ssen					ABNAHMEPRUFZEUGNIS									rama 1	Sone:				
	· · · · · · · · · · · · · · · · · · ·	ThyssenKrupp Stainless USA							o f de acuerc		th.		- 1	1	ſ	1				
									EN 10204-3.											
										· <del>-</del>			- 1							
	1 Thyss	enKrupp	Drive; P.O.	Box 13000	Calvert, Al	. 36513-1	300		tomer/Ship so/ C BERT METAL				SSAUGA							
1	OLBERT	METALS	SALES LIA	411 <u>F</u> D				Cus	omer's order our	nter / K* de Pe	diga Cla	ute f Ku	ndenbestell	W.						
ļ	989 DE	riry roa	D EAST SU	TE 305				TO.	1828											
			N L5T 2J8					Non	ulaciurer's works	order no. / N°	de Pedid	o Mamut	adura I Wer	ksaultrag	Smr.					
l	CANADA	A						901	145653 / 00	7										
ł		•							ery note no. / NY		efrance	ige Mr								
ł								852	18320 / 070	<u> </u>										
ł									uci / Producto / E	-					_					
Terms of del	every / Cond	Cones de a	oningge / Leter	Advance					ET/HOJAS/E											
ASTH A2	40/A240	M. ASME	SA-240 S	ec.II Part A E	4 0010			Steet	nieup bne sberg	/ Acmol Stat	MOTH U	<b>V</b> Gulegi	rupoe			<del></del>				
ASTM A4	80/A480	M. ASME	SA-480 S4	CII Part A E	4 3020 4.5010			TYP	E 304U304											
Costomer's a Nº de statem Kundenmale				ns-(Rechness Friem / Length ( Statem Hebor / Anotro / Langth) Hosses (Oche / Broke / Langth) Hosses (Oche / Broke / Langth)							refinalizing procedures'									
												Herstel	o de manul. Ian	id/	Acabado/ Ausfuhrung					
				,219.20 mm x 2,438.40 mm x 48.0000 inch x 95.0000 inch						AÇD			lile / 28							
Packing-Hou Me de Empag Pakel-Ni.		Np.of prec	100	1000																
Palet-Nr. 6033088		Prizasi Suckzahl			Actual weigh Peso actual Isl-Gevectil	ectil			Boben No./ Beno-Hr.		Heat Hou! Colada! Schmebenar,		Sample Id.i N° de malestral Proben-id.			Sample Id/ M' de muestraf Proban-Id,				
		74	<del></del> -	4,4	67 lb / 2,0	?,02õ kg			09255	300725		_	1000044779		÷	1000044780				
Sum / Suma /	<del></del>	74			67 16 / 2,0										<u> </u>	100004710				
Heal / Colada / Schmobe	Country of Pais de col Erechmets	hest i lada / andálánd	-	ngosikan / Com	SOCICION CHIMIN	ar Charmectae	Zusarrenen	SELDAND												
tourne			% C		% Si   % Mn   % P				% Cr	1% Ni	% Ni   % N			Т						
300775	ΠA		0.029	0.30	1,84	0.029	0.0	010	18.14	8.04		052	┼			<del></del>				
Sample Posic Locale de la m Probesiage		TRANSV	ERSE						· <u> </u>		7 5		<u> </u>							
inspection ad		YS	0.2%	T		T			T											
Lote de inspec Pruflos	viùr.		I / MPa		TS		EL A2	•	H	RB	1			İ						
100004472	7g		4 / 289		il / MPa		%		L	_	ł									
100004478	- 1		4/277		50 / 634	1	58		82					+						
			orice / Halle.	1 91'9	05/633	!	57.5		81					- 1						
est of identity	Especieurs a	nalysis) / Co	atinoi de identid	ad imaksis esp	*************						<del></del>		OK	<u> </u>						
io weld rep	airs			I	and med 1 A	Manus una Ma	Priving (Sp	kiralanal)	se]:				OK							
lo intention	al additio	ons of Me	ICUM COM	ounds were																
ree of radio	pactive or	animaire	tion		made or us	UG														
			C Comptan																	
ountry of H				•					$ abla \Delta$	0		1	1							
	rui 42 (3)	er 13U 31	20.1						\\\f\'\'	S   /	•	/	. /							
									74	• /s	<b>火</b> ,	1/02	2/10	7						
									ه۔و	9			- /							

Organister of the document / Origination del décuments / Ausstelles des Beschenagung

ThyssenKrupp Stainless USA, LLC

An ISO 9001: 2008 certified company

Certificate is generated autoromically / Certificado as generado automoticamente f Das Zeogras national inflorofision erstell

The entermation provided is a true copy of data on the files values mestigarins correspondent a los datos arches

Andrew Faucelt Phone: +1 251 629 3492

Name of experts Nombre del experto / Name des Sachwerstandigen

Dale ól issze érő valdaton Fecha de em són y váldatón Datum Ausstellung é Bé tialgung 10/03/2012

### Doc No. 145964 Indexed 5Nov12 by sissup1

STAINLESS STEEL SHEET 304-2B .0360 Nom X 48.0000" X 96.0000" PART NO. THYSSENKRUPP MATERIALS NA DART AEROSPACE

PO/Rel 18619

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test Results

BL PEC-799833-002

14Dec12 Pg 1/2

MATERIAL TEST CERTIFICATE

Wavi Banchung Motol Products Co., Ltd.

PAGE LOF?

DAS 14

Surface Finish 按照加工: NO.4.PVC Date 发行日期: 2012-9-17

ONSIGNEE

用)家: GLOBAL STAINLESS STEEL INC.

Specification ...

崇

ASIM A240/A240M

Type

12

5

Invoice No. 

EX1207157

概 方: GLOBAL STAINLESS STEEL INC.

Commodity STEEL SHEET

名: COLD ROLLED STAINLESS

rder No.

Ph () 55,

EX1207157GS

	N. al	NA NA	10	۲		<u>'</u>	-3	ŝ	הי	-	٠.,	1	·	-	¥o.	5		
	八寸和表面:合格 Size and Surface:G	r色(Romarks):		12091709	12091 708		12001207	12091706	12091705	12091 7IM	12091 703	12071 /02	Suctional Property	120051	No.		ないまで	
WE DESCRIBY CERTIFY THAT THE MATERIAL HEREIN  INAS BEEN MADE IN ACCORDANCE WITH THE ORDER AND  SPECIFICATION  *吃到各农可完全犯明  *I'the report can only be capied completely	八寸和表面:合格 Size and Surface: Guoranteed			3.0	2.5	1.0	-	1.5	ا ن	1.2	0.8	0.8	9.7	MM MM	Thickness	25.14	יבר	
				1219	1219	6171	2	1219	1219	1219	1219	12[9	1219	M.	Width	,57 t i.g.	Product Size	产品尺寸
				2438	3048	2438		2438	3048	2438	3048	2438	2438	M. M.	Lenouh		.,	
		-	-	2.3	2	32		3	t	5.5	47	62	76		4	Zif FLI		
			1	2831	1510	1103	18	1 1 1 1 1 1	520	1518	060	1114	1126	in	Weigh¥	海田	ţ !	
* * :0 =				311	320	302	ě	3	29%	298	3(5	303	294	Nhum² ≥ 208	0.2% YS	Fd 362.34 Pd.		
WE HEALTY CERTIFY THAT THE MATERIAL HEREIN HAS BEEN MADE IN ACCORDANCE WITH THE ORDER AND SPECIFICATION *处据各位可完全复制 *The report cut only be capied completely	87.178		35		665	铁	3		A\$4	656	616	616	672	N/mm° ≥	を記述される。	CO STORY	Tancile Ta	がご明は
WADE IN JON The State S	则所列。		12	3	67.5	58	58	ig	r i	<i>f</i>	ç	8	71.5	28 57 45	是事令	7		
ACCORD, ACCORD, cupied con	品均符合		1	4	8	186	86	1,14	3 4	174	180	180	145	HV'8:200	Hardness	2000	- <u></u> -	
WE FILKELBY CERTIFY THAT THE MATERIAL I S BEEN MADE IN ACCORDANCE WITH THE OR CIPICATION 原接依可強全起網 report can only be capied completely	兹证明所列产品均符合订单和标准的制造要求		V5703177	100071	108801	A1102476	A1102476	C3200591	16500757	5.1200n83	Character	CIDOOGRE	A2203542	NO.	HEAT	i i		
TERIAL FTHE OI	准的制造		0.0500		<u> - -</u>		0.6453	0.0500	0.0500	0.6500	0.00000	n) Dean	0.0500	\$6.0% C	:			7
HERFIN RDER AN	於漢	_	0.380	0.480			0.393 1	0.400	9.400	0.440	0,440		250	60.7 y 7 S				
Đ Philipping (Sept.		-	9.0 0011.1	0.0			1.1408	1.1300 0.	1.1300 0.	1.1000 0.	0.1000	~	1100	%2.00 Mn		Chemica	545	-
and a second	3.1		010970 085970	0.0410 0.1	0.0036 0.0	_	O PERCEO	0.0340 0.	0.0540 0.	0.0300 0	0.0300 0.	<del></del>	-	% 5,145 #	_	Chemical Composition (%)	-ifi	rodic.
*** 	技术本能 CHNICAL DI	1		0.0020 8.0	0.0020 8.0		0	0.0020 8.	0.0020 8.	0.0020 8.	0.0020 8	X 010070		£0.03 8 S		sition ( s	成分	
	技术 本常  ECHNICAL DEP]		8.0300 18.	8.0700 18.	8.0098 18.	7	+	8.0400 18	3.0400 18	8.0100 18	8.0100 18	8.0600	-	.50 IS		6		
· ·		-4-	18,160 0,0400	18.230 0.0400	18.521 0.0553	18.021 (2.055)		18.130 0.0	18.130 0.0420	18.060 0.0	18.060 0.6	18.270 0.0	-	18,00-2 1,000-2				
Et.						1		0.0420		0.0437	0.0437	0.0500		z		$\perp$		

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE STAINLESS STEEL SHEET 304-2B .0360 Nom X 48.0000" X 96.0000" PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs. PO/Rel 18619

Signed by:

Certificate of Mill Test Results

BL PEC-799833-002

14Dec12 Pg 2/2

MATERIAL TEST CERTIFICATE 馬 Ħ 思出

Wirel Rayshong Metal Prestuess Co. 1 rd 无锡宝昌金属制品有限公司

用)家: GLOBAL STAINLESS STEEL INC. 秀 方: GLOBAL STAINLESS STEEL INC. EX1207157GS 产品尺寸 标 准; Specification iii #: COLD ROLLED STAINLESS Commodity STEEL SHEET ASTM A240/A240M Surface Finish -끖 ž Diffe 发行日测: Invoice No. で 悪 PAGE 2 OF 3 DAS 14 28: EX1207157 2012-9-17

UNSIGNEE

iler No. 明多酮

WE HEREBY CERTIFY THAT THE MATERIAL HEREIN HAS BEEN MADE IN ACCORDANCE WITH THE ORDER AND SPECIFICATION *CREWITH 我可完全起的 *The report can only be copied completely	尺寸和表面: 合格 Size and Surface: G		<u> </u>	હ	200	1	<b>1</b>	٥	<u> </u>	<u>`</u>	+	زيا	10	<u> </u>	1	:	<u> </u>	; * :	
	Œ (Remarks) :							£17.14.114	19600	12091713	12091712	12091711	017 14077		No.	Product	拉路鐵河		
	八寸和表面:合格 尺寸和表面:合格 Size and Surface:Guaranteed								2.5		26	7.	0.1	0.8	MM	Thickness	写唐		
									6151		3 3	[2]9	1219	1219	MM	W.idth	聚系	FTOUDER SIZE	101/4
			1						2438	0.047	3476	2438	2438	2438	MM	=	次 湖		
	-	-	-			-		26	150	2	55	*	63		Number				
	٠			$\frac{1}{1}$			-	_	500	1495		1318	Н	1136			Weight	#  3	<b>,</b>
* * % T					1		-		320	291		3.0%	273	303	305 205	SA 2620	和新猪饼		
WE HEREBY CERTIFY THAT THE MATERIAL HEREIN HAS BEEN MADE IN ACCORDANCE WITH THE ORDER AND SPECIFICATION *地限海纹可完企复制 *The report can only be copied completely	兹证明所列产品均符合订单和标准的制造要求								665	630		45.6	693	616	Ν/mmi" ≥ 520	Ţ,	流社划波	Tensile Test	拉伸试验
EBY CER AADE IN. YON 完全是詢								37.5	67.5	8	30	4	56	\$	STR.	E E			
TIFY THE ACCORD.	品均符合		_						63	Ŧ	4	172	170	180	HV < 200	Hardress	應:	ir B	
WE HEREBY CERTIFY THAT THE MATERIAL IS BEEN MADE IN ACCORDANCE WITH THE OR CHICATION R 得仅可完全更期	可单和标							C-21000A1	MAGNITO	C2206527	1600055	2,1400077	A 17()(877	C1200683	7,730	MEAL	が伸号		
TERNAL	准的制造							0.0300	-	0.040.0	0.0500	-		0.050	*:0.0x	<u>-</u> -			
HEREIN UDER AN	被洪	-				-		0.480	+	0.400	0.400	0.300	_	0.45		<u> </u>			
5		$\dashv$			1:	+		1.0900 0		1.1000 0	1300 0	0 00811-1		t_	<u>~</u>	\$	Chamics	1	2
		-	_			1		0.0410 0	_	0.0270.0	0.0340 0	0.0370	- f		×0.045 ×0.03	÷	Compa	-	ř
	ECHNIC	-				1		0.0020 8		0 01000	0.0020 8	0.0010 8	07000				Chemical Composition (%)	75	1
	接零多端 TECHNICAL DEPT	-	-			-		8.0700 18	ST CHANGE		8.0400 18	8,0100 11	8.0100	_	_ ₹	<u>z</u>	36)		
	<del>.</del> }	-	_			+		18.230 0.4	18.240 0.		18.130 0	18.000 0.	18,060 0.	-	5.00.2 1.00.8	유 			
			1		,	1		0,0400	0.0500		0.0420	0.0503	0.0437		7.			L	

Doc No. 145964 Indexed 5Nov12 by slssup1



Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO18619

Purchase Order Date 12/11/12 PO Print Date 12/11/12

Page Number 1 of 4

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8 CA

Contact Name

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Requisition Nbr

Tax Resale Nbr Terms

Currency

Net 30 CAD

FOB

Destination-Collect

Chantal Lavoie

10127-2607

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CANADA

Line Nbr Reference Description/ Req Date/ Req Qty/ Ship Method Revision ID **Unit Price** Mfg ID Extended Taxable Unit of Measure Price Vendor Part Number M304S18GA 304/316 .050 Sheet 12/19/12 020 320.00 Yours ppd \$3.2812 \$1,050.00 Yes sf

Special Inst:

MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH AS MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240

PLEASE NOTE: DO NOT DELIVER BEFORE THE 17 OF DECEMBER RECEIVING WILL BE CLOSE

DECEMBER 13 AND 14 FOR INVENTORY

M304S20GA

0)0

304/316 .040 She

12/19/12

Yes

Yours ppd

320.00

sf

\$2.4844

\$795.00

Special Inst:

MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH

AS MIL-S-5059 OR AMS 5513 (304) OR

AMS 5524 (316)

OR ASTM A240 OR ASME SA240

NO: PEC ST-518482 NO: PEC ST-514(/21 PO Instructions: NO; PEC ST-515417 NO: PEC ST-513880

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required - YES

Change Nbr: 2 Change Date: 12/11/12



Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO18619

Purchase Order Date 12/11/12 PO Print Date 12/11/12

Page Number 2 of 4

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CALTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

CA

**Contact Name** 

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

10127-2607

Requisition Nbr

Tax Resale Nbr Terms

Net 30

Currency

CAD

**FOB** 

Destination-Collect

M7075T6B1.000X1.000

7075 T6 BAR 1.00 x 1.00

12/19/12

Yes

12.00 f

Yours ppd

\$12.5959

\$151.15

Special Inst:

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 BAR

AS PER AMS-QQ-A-225/9 OR AMS

4122/4123/4186/4187 OR PER AMS-QQ-A-200/11

No

M303B1.000X03.000

303 BAR 1" X 3'

12/19/12

24.00 Yours ppd \$49.8942

\$1,197.46

Special Inst:

MATERIAL: AISI 303 SS BAR AS PER

ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Yes

M174R0.750

17-4 round bar .750

12/19/12

36.00 Yours ppd f

\$5.1500

\$185.40

Special Inst:

MATERIAL: 17-4 PH/S17400 TYPE 630 SS

ROUND BAR

AS PER AMS 5643 OR ASTM A564

M7075T6B1.500X1.500

7075 T6 BAR 1.500 x 1.500

12/19/12

12.00

Yours ppd

\$16,0000

\$192.00

Yes

f

Special In:

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11

**PO Instructions:** 

NO: PEC ST-518482 NO: PEC ST-514021 NO; PEC ST-515417 NO: PEC ST-513800

No substitution or deviation without

consent.

Certificate of Conformity or Material Certification required - YES

Change Nbr:

2

Change Date: 12/11/12



Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO18619

Purchase Order Date 12/11/12 PO Print Date 12/11/12

Page Number 3 of 4

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CALTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

CA

7

Contact Name

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buver

Chantal Lavoie

10127-2607

Requisition Nbr

Tax Resale Nbr **Terms** 

Net 30 CAD

Currency FOB

Destination-Collect

M6061T6B0.375X00.750

6061T6 BAR .375 x .750

12/19/12

Yes

24.00 Yours ppd

\$2.5000

\$60.00

002

Special tast:

MATERIAL: 6061-

T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR

ASTM B211 OR ASTM B221

M6061T6R0.500

12/19/12

Yes

Yours ppd

\$1.2000

\$57.60

Special Inst

6061-T6 Round Bar .500

6061-T6 (OR 6061-T651/ T6510/ T6511/ T62) ROUND BAR QQ-A-225/8 OR AMS-QQ-A-225/8 OR (AMS 4117/4128/4115/4116) OR QQ-A-200/8OR AMS-QQ-A-200/8 )OR

AMS 4160)

OR ASTM B211 OR ASTM B221

M6061T6R0.563

6061-T6 ROUND BAF .563

12/19/12

300.00

Yours ppd

\$0.6067

\$182.01

Yes

Special Inst:

6061-T6 (OR 6061-T651/ T6510/ T6511/

T62) ROUND BAR

QQ-A-225/8 OR AMS-QQ-A-225/8 OR (AMS 4117/4128/4115/4116)

OR QQ-A-200/8OR AMS-QQ-A-200/8 )OR

AMS 4160)

OR ASTM B211 OR ASTM B221

**PO Instructions:** 

NO: PEC ST-518482 NO: PEC ST-514021

NO; PEC ST-515417 NO: PEC ST-513880

No substitution or deviation without

Certificate of Conformity or Material Certification required - YES

Change Nbr:

2

Change Date:

12/11/12



Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO18619

Purchase Order Date 12/11/12 PO Print Date 12/11/12

Page Number 4 of 4

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CALTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

CA

Contact Name

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

**FOB** 

Destination-Collect

10 M6061T6R0.750

93

6061-T6 Round Bar .750"

12/19/12

Yes

Yours ppd

\$1.0292

\$49.40

Special Inst:

6061-T6 (OR 6061-T651/ T6510/ T6511/ T62) ROUND BAR QQ-A-225/8 OR AMS-QQ-A-225/8 OR (AMS 4117/4128/4115/4116) OR QQ-A-200/8OR AMS-QQ-A-200/8 )OR

AMS 4160)

OR ASTM B211 OR ASTM B221

11 M6061T6R3.500

000

6061 RD bar 3.50

12/19/12

Yes

Yours ppd

\$22.3250

\$267.90

Special Inst:

6061-T6 (OR 6061-T651/ T6510/ T6511/ T62) ROUND BAR QQ-A-225/8 OR AMS-QQ-A-225/8 OR (AMS 4117/4128/4115/4116) OR QQ-A-200/8OR AMS-QQ-A-200/8 )OR

AMS 4160)

OR ASTM B211 OR ASTM B221

12 M6063T5A0.750W.063

Angle6063T5 .750 X.750

X.063w

12/19/12

21.00

\$1.4286

\$30.00

Yes

PO Total:

\$4,217.92

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

**PO Instructions:** 

NO: PEC ST-518482 NO: PEC ST-514021 NO; PEC ST-515417 NO: PEC ST-513880

Change Date: 12/11/12

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required YES NO

Change Nbr:

2